


REV E - 2006-04-18

Printed: Dec 01, 2009



2

12

7	
<u> </u>	

4

METRAL (Y) Contact code (x) Contact code (x) <thcode (x) <t< th=""><th></th><th></th><th></th><th></th><th>3 </th><th></th><th></th><th></th><th>4</th><th></th></t<></thcode 					3				4	
Mole 1 2 3 <td>METRAL MOD. I</td> <td>DE</td> <td></td> <td></td> <td>I</td> <td></td> <td></td> <td>CO</td> <td></td> <td></td>	METRAL MOD. I	DE			I			CO		
SEE NOTE 9 0 111111111111111111111111111111111111	P/N ROW I 2 3 4 5	6					P7N	ROW I 2	2 3 4 5 6	
SEE NOTE 9 100 F100 C 11111111111 11111111111 METRAL PPN NOW 1 2 3 4 5 6 CONTACT COFF PN NOW 1 2 3 4 5 6 CONTACT COFF PN NOW 1 2 3 4 5 6 CONTACT COFF PN NOW 1 2 3 4 5 6 METRAL LAP FRE PN NOW 1 2 3 4 5 6 CONTACT COFF PN NOW 1 2 3 4 5 6 CONTACT COFF PN NOW 1 2 3 4 5 6 CONTACT COFF PN NOW 1 2 3 4 5 6 METRAL LAP FRE PN NOW 1 2 3 4 5 6 CONTACT COFF PN NOW 1 2 3 4 5 6 CONTACT COFF PN NOW 1 2 3 4 4 5 6 CONTACT COFF PN NOW 1 2 3 4 4 5 6 METRAL PN NOW 1 2 3 4 5 6 CONTACT COFF PN NOW 1 2 3 4 5 6 CONTACT COFF PN NOW 1 2 3 4 4 5 6 CONTACT COFF PN NOW 1 2 3 4 4 5 6 METRAL POTION B CONTACT COFF PN NOW 1 2 3 4 4 5 6 CONTACT COFF PN NOW 1 2 3 4 4 5 6 CONTACT COFF PN NOW 1 2 3 4 4 5 6 METRAL POTION B CONTACT COFF PN NOW 1 2 3 4 4 5 6 CONTACT COFF PN NOW 1 2 3 4 4 5 6 CONTACT COFF PN NOW 1 2 3 4 4 5 6 METRAL POTION B CONTACT COFF PN NOW 1 2 3 4 4 5 6 CONTACT COFF PN NOW 1 2 3 4 4 5 6 CONTACT COFF PN NOW 1 2 3 4 4 5 6 METRAL POTION B CONTACT COFF PN NOW 1 2 3 4 5 5 CONTACT COFF PN NOW 1 2 3 4 3 5 3 CONTACT COFF PN NOW 1 2 3 3 3 3 3 3	74741-X61 E						7474I-X65	E 2 2	2 2 2 2 2 2	
L'EAD FREE C L'EAD FREE L'EAD FREE L'EAD FREE L'							055 0075 0	D 3 3	3 3 3 3 3	
a 1	LEAD FREE	111					LEAD FREE	C 2 2	2 2 2 2 2 2	
METRAL P/A CONTACT CODE MOD, -1 METRAL P/A CONTACT CODE MOD, -1 METRAL P/A Row 1/2 2/2	OPTION B IIIIIII	111					OPTION	B 2 2	2 2 2 2 2 2	
METRAL P/A MOD. I MOD. I <td>A 11 11 11 11</td> <td>111</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>A 3</td> <td>3 3 3 3 3</td> <td></td>	A 11 11 11 11	111						A 3	3 3 3 3 3	
P/N pow 1 2 3 4 5 T4741-X82 C 11	CONTACT CO	DE						СО		1
TATAL-X62 E II III II III IIII IIII IIII IIIIIII IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	D/N									-
SEE NOTE 9 UOPTION 0 12		+					74741 866			-
SEE NOTE 9 LEAD FREE OPTION C 12 1		+					14141-X66			-
LEAD FREE C 12 (12 (12 (12 (12 (12 (12 (12 (12 (12 (+					SEE NOTE 9			-
METRAL PIN CONTACT CODE MOD METRAL PIN CONTACT CODE PIN METRAL PIN CONTACT CODE PIN MOD 1 2 3 3 4 5 6 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	LEAD FREE C 12121212						LEAD FREE			-
METRAL P/N CONTACT CODE MOD. CONTACT CODE MOD. METRAL P/N CONTACT CODE RED. 14141-X63 E 1	0 12 12 12 12	+					OFITON			-
METRAL P/N ROW I 2 3 4 5 6 Hoto Hot	A							A 2 4		-
P/N Row I <td></td> <td>DE</td> <td></td> <td></td> <td></td> <td></td> <td>METRAL</td> <td>C0</td> <td></td> <td>1</td>		DE					METRAL	C0		1
Tata 1 - X63 E I <t< td=""><td></td><td>6</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>		6								
SEE NOTE 9 UOPTION 0 1		+					74741-X67			1
SEE NOTE 9 LEAD FREE OPTION C I		+								-
OPTION B I <td>SEE NOTE 9</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	SEE NOTE 9									
A I <thi< th=""> <thi< th=""> <thi< th=""></thi<></thi<></thi<>	OPTION	+								-
METRAL P/N CONTACT CODE MOD. CONTACT CODE MOD. CONTACT CODE MOD. 74741-X64 E 1		1								4
MC1 MOD. 1 NOD. 1										
ROW I	METRAL MOD. I	DE						CO CO		
SEE NOTE 9 LEAD FREE OPTION D I<	P/N ROW 1 2 3 4 5	6					P/N	ROW I	2 3 4 5 6	
SEE NOTE 9 LEAD FREE OPTION C I	74741-X64 E I I I I I	1					7474I-X68	E 3 3	3 3 3 3 3	1
LEAD_FREE C I	D I I I I I	1						D 3 3	3 3 3 3 3	
OPTION B I <td></td> <td>1</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>C 3 3</td> <td>3 3 3 3 3</td> <td></td>		1						C 3 3	3 3 3 3 3	
mol'l code tolerances unless otherwise specified CUSTOMER FSS www.fciannect.com Ilr ecn no. dr date 0.X ± 0.3 projection title METRAL SIGNAL HEADER I MOD, 5 ROW STB Image: Street orges 0° ± 2° MM projection title METRAL SIGNAL HEADER I MOD, 5 ROW STB Image: Street orged 0.X ± 0.13 projection title METRAL SIGNAL HEADER I MOD, 5 ROW STB Image: Street orged M.STRAWSER 11/19/99 MM size dwg no 213 Sheet oppd M.STRAWSER 02/29/00 2:1 A 7 4 7 4 3 Pro/E 3 coge code 22526 4		1						B 3	3 3 3 3 3	
Itr ecn no. dr date 0.X ± 0.3 COPY N Imedia 0.X ± 0.13 projection Imedia METRAL SIGNAL HEADER N Imedia 0.X ± 0.13 projection Imedia METRAL SIGNAL HEADER Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution <	A 3 3 3 3 3	; 3						A 3 3	3 3 3 3 3	
Itr ecn no. dr date 0.X ± 0.3 COPY N Imedia 0.X ± 0.13 projection Imedia METRAL SIGNAL HEADER N Imedia 0.X ± 0.13 projection Imedia METRAL SIGNAL HEADER Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution Image: Solution <										
N Imedia 0.xx ± 0.13 projection title METRAL SIGNAL HEADER Image: orget state Image: orge					CUSTOME	R	FCi			-
Image: state I					-			www.fcic	connect.com	-
angles 0° ±2° T MOD, 3 KOW 31D dr T.BRUNGARD 11/19/99 dr T.BRUNGARD engr M.STRAWSER chr M.STRAWSER appd M.STRAWSER appd M.STRAWSER oppd M.STRAWSER oppd M.STRAWSER product family MM METRAL code 213 sheet oppd sheet 02/29/00 2:1 A 74741 3 sheet 02/29/00 growth 02/29/00 2:1 A 72526 4		linear								
engr M. STRAWSER 11/19/99 II/IVI size dwg no 213 chr M. STRAWSER 11/19/99 scole A 74741 3 sheet revision 0000 2:1 A 74741 3 sheet sheet 0000 2:1 A 74741 3 Pro/E 3 cage code 22526 4		angles			$ \oplus \in$	<u>+ </u>			5	
engr M.STRAWSER 11/19/99 size dwg no 213 chr M.STRAWSER 11/19/99 scole A 7474 sheet appd M.STRAWSER 02/29/00 2:1 A 7474 3 sheet revision Image: sheet I					MM	· · ·	,	METRAL		
Image: sheet I						size		1		-
sheet revision n						A	1414			
index sheet Pro/E 3 cage code 22526 4	sheet revision									B
Pro/E 31 22526 4	index sheet									J
	Pro	/E			3		22	526	4	
			PD	M: Re	v:N	STATUS			ed: Dec 01	I, 2009

1	METRAL		С		r ac 10d		COD I	E		
	P / N	ROW	-	2	3	4	5	6		
	7474I-X0I	E	3	3	3	3	3	3		
	SEE NOTE 9 LEAD FREE	D	3	3	3	3	3	3		
	OPTION	C	3	3	3	3	3	3		
		B	3	3	3	3	3	3		
		A	3	3	3	3	3	3		
	METRAL P/N				FAC 40D					
	74741 800	ROW	1	2	3	4	5	6		
	7474I-X02	E	3	3	3	3	3	3		
	SEE NOTE 9	D	4	4	4	4	4	4		
	LEAD FREE OPTION	В	4	4	4	4	4	4		
		A	3	3	3	3	3	3		
									1	
	METRAL		C		r ac 10d			Ł		
	P/N	ROW	T	2	3	4	5	6		
	7474I-X3I	E	7	7	7	7	7	7		
	SEE NOTE 9	D	7	7	7	7	7	7		
	LEAD FREE OPTION	C	7	7	7	7	7	7		
0	011101	В	7	7	7	7	7	7		
А		A	7	7	7	7	7	7		
	METRAL		CONTACT CODE MOD. I							
	P/N	ROW	Ι	2	3	4	5	6		
i	7474I-X32	E	7	7	7	7	7	7		
9 "	SEE NOTE 9	D	8	8	8	8	8	8		
	LEAD FREE OPTION	C	8	8	8	8	8	8		
		В	8	8	8	8	8	8		
		A	7	7	7	7	7	7	I	
and embodies r' information of FC on this y or disclosed ent of FCL										
re property of 1 PROPRIETARY rrmation shown used in any way re written conse										
This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No port of the informations alown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.										
в										

REV E - 2006-04-18

7	1
J	

1|2

	3		4	
		METRAL	CONTACT CODE MOD. I	
		P/N 74741-X77	ROW 1 2 3 4 5 6	
		14141-X11	E 10 10 10 10 10 10 D 10 10 10 10 10 10	
		SEE NOTE 9	C 10 10 10 10 10 10	
		LEAD FREE OPTION	B 10 10 10 10 10 10	
			A 10 0 0 0 0 0 0	
		METRAL	CONTACT CODE MOD. I	
-		P / N	ROW I 2 3 4 5 6	
-		74741-X78	E 12 12 12 12 12 12 12	
-		SEE NOTE 9	D 12 12 12 12 12 12 12 C 12 12 12 12 12 12	
-		LEAD FREE OPTION	B 12 12 12 12 12 12 12	
			A 12 12 12 12 12 12	
			CONTACT CODE	
		METRAL P/N	MOD. I ROW I 2 3 4 5 6	
		7474I-X79	E 5 5 5 5 5 5	
		SEE NOTE 9	D 5 5 5 5 5 5	
		LEAD FREE OPTION	C 5 5 5 5 5 5	
			B 5 5 5 5 5 5 A 5 5 5 5 5 5 4	А
J			CONTACT CODE	
		METRAL P/N	MOD. I	
		74741-X80	ROW I 2 3 4 5 6 E 6 6 6 6 6 6	
		14141 X00	D 6 6 6 6 6 6	
		SEE NOTE 9	C 6 6 6 6 6 6	
		LEAD FREE OPTION	B 6 6 6 6 6 6	
			A 6 6 6 6 6 6	
telerenees, unless				
tolerances unless otherwise specified	CUSTOMER	FÇj		
0.X ±0.3 linear 0.XX ±0.13 P	COPY rojection title	Ŋ	www.fciconnect.com	
.XXX ±.051		METRAL SIGNA I MOD, 5 F	AL HEADER Row STB	
angles 0° ±2° dr T.BRUNGARD 11/19/99			IETRAL code	
engr M.STRAWSER 11/19/99	size d	wg no	213	
chr M.STRAWSER II/19/99 SI appd M.STRAWSER 02/29/00	cole	7474	sheet 4	
				В
	3	cage code	526 4	
•	י ن	22	526 4	

Printed: Dec 01, 2009

METRAL		C		TÀC MOD		COD I	E					
P/N	ROW	1	2	3	4	5	6					
7474I-X73	E	9	9	9	9	9	9					
	D	9	9	9	9	9	9					
SEE NOTE 9	С	9	9	9	9	9	9					
LEAD FREE OPTION	В	9	9	9	9	9	9					
	A	11	11	11	11	П	L					
METRAL		0)E					
P/N	ROW	┢╷	2	MO[3	/.	5	6					
7474I-X74	F	10	-	10	10	-	·					
	D			+	+		+					
SEE NOTE 9	C	10	10	10	10	10	1					
LEAD FREE OPTION	В	10	10	10	10	10	D					
	A	11	11	11	11	11	I					
		CONTACT CODE										
METRAL P/N			MOD. I									
	ROW		2	3	4	5	6					
7474I-X75	E		11	11	· ·							
SEE NOTE 9	D			11		<u> </u>	-					
LEAD FREE OPTION	C	11	11	11	-	11	 					
	B	11	11	11			1					
	A	11	11	11								
METRAL		C		'AC IOD		COD	E					
P/N	ROW	Т	2	3	4	5	6					
7474I-X76	E	10	10	10	10	10	10					
	D	10	10	10	10	10	10					
SEE NOTE 9	С	10	10	10	10	10	10					
LEAD FREE OPTION	В	12	12	12	12	12	12					
	A	10	10	10	10	10	10					

mat'l code

sheet

index

12

ecn no.

dr

revision

sheet

ltr

Ν

- -

date

Pro/E

に 「 し し

REV E - 2006-04-18

PDM: Rev:N STATUS: Released

7
J

						2										
Ι		METRAL P/N 74741-X81 SEE NOTE 9 LEAD FREE OPTION	CONTACT CONTACT CONMOD. ROW I 2 3 4 5 6 E 5	METRAL P/N 74741-X SEE NOTE LEAD FRE OPTION	ROW 85 E 9 D	MO V I 2 3 3 3 3 3 3 3 3 3 3	CT CODE DD. 1 3 4 5 6 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	NC . 2.		OR DI ODY M POL	IA T E R Y M E R	AND B SE IAL: LIQ 30 % GL ETARDANT	UID C ASS.	RYST	4L	
		METRAL P/N 74741-X82 SEE NOTE 9 LEAD FREE OPTION	CONTACT CODE MOD. 1 ROW 1 2 3 4 5 6 E 6 6 6 6 6 6 6 D 7 7 7 7 7 7 7 C 6 6 6 6 6 6 6 6 B 6 6 6 6 6 6 6 6 A 7 7 7 7 7 7 7 7					3. 4. 5.	. P 7 7 L	LATIN 4741 4741- LATIN EVEL RODUC	SPHO GON -XYY XYYLI GON SHOWI TMAI	AL: PRESS-F IS SnPb SNPb CONTACT NIN TAB RKING: MBER DES	IT TA (LEAD AREA LE.	F R E I C O N I	FORMS	
	А	METRAL P/N 74741-X83 SEE NOTE 9 LEAD FREE OPTION	D 6 6 6 6 6 6						SU IF WI EX PR AP	BSEQU TRAY LL BE AMPLE ODUCT PLICA E PRO	ENT PACI ADDI XXX SPEC TION	S WITH P TABLES W (AGING I ED TO TH (XX-XXXP CIFICATI SPECIFI S WHERE	ILL B S REG E END OR X ON GS CATIC THE P	E PAC UIREI OF XXXX - 12- N BU ART I	CKAGED), A S THE PA -XXXPL 180 S-20-0 NUMBER) IN 10FF 1RT 1 1.F 174
		METRAL P/N 74741-X84 SEE NOTE 9 LEAD FREE OPTION	CONTACT CONTACT COUT MOD 1 2 3 4 5 6 E 8 8 8 8 8 8 8 D 8 8 8 8 8 8 8 8 C 8 8 8 8 8 8 8 8 B 8					(9. 10	A) FO E). A (T V A	S DES R LEA XAMPL LL PR DRAWI 0 260 APOR ND (D	CRIBI D FRI E: 7 ODUC NG NC PHASI RAWII	NION DIR ED IN GS 4741-X01 TS EXCEP D.)-NI DR 60 SEC E REFLOW NGS NO.) THE CON	-22-0 NUMBE LF T THC - OR CONDS OVEN -N5	08. RS, / SE W (DRA) IN / . PAI - WILI	ADD AN ITH PA WING N A CONV RT NUM _ NOT	RT I IO.) ECT IBER: WITI
e property of and embodies	CONFIDENTIAL and PROPRIETARY information of FCI. No port of the information stateward on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.							mat 'l	code	no.	GER	THAN 15	SECON	tolera	nces unle ise speci	ess ified
This document is th	CONFIDENTIAL and No part of the infor document may be u to others without th Copyright FCI.							N she		revision	on		linear angles dr engr chr appd	T.BRU M.STR M.STR M.STR	AWSER AWSER	051
REV E	- 2006-04-18	L				2			~~			Pro/E			וחפ	м.

FLAME RETARDANT ACC. UL 94-VO.
PIN MATERIAL: PHOSPHOR BRONZE. PLATING ON PRESS-FIT TAIL: 74741 -XYY IS SnPb 74741-XYYLF IS SN (LEAD FREE) PLATING ON CONTACT AREA CONFORMS TO PERFORMANCE LEVEL SHOWN IN TABLE.
PRODUCT MARKING: PART NUMBER DESIGNATION & BATCH I.D.
LL PRODUCTS WITH PART NUMBERS SHOWN IN UBSEQUENT TABLES WILL BE PACKAGED IN TUBES. F TRAY PACKAGING IS REQUIRED, A SUFFIX "P" ILL BE ADDED TO THE END OF THE PART NUMBER. XAMPLE: XXXXX-XXXP OR XXXXX-XXXPLF
RODUCT SPECIFICATION GS-12-180 PPLICATION SPECIFICATION BUS-20-074
HE PRODUCTS WHERE THE PART NUMBER ENDS IN LF MEET THE EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
OR LEAD FREE PART NUMBERS, ADD AN "LF" SUFFIX. EXAMPLE: 7474I-XOILF
ALL PRODUCTS EXCEPT THOSE WITH PART NUMBERS CONTAINING (DRAWING NO.)-NI OR (DRAWING NO.)-N5WILL WITHSTAND EXPOSURE TO 260°C FOR 60 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN. PART NUMBERS (DRAWING NO.)-NI AND (DRAWINGS NO.)-N5WILL NOT WITHSTAND REFLOW AND Au CONTACT SURFACE OF THE CONTACTS SHALL BE EXPOSED TO A MAXIMIN 140°C FOR NO LONGER THAN 15 SECONDS IN A WAVE SOLDER APPLICATION.

mat'l code						tolerances unless otherwise specified						STOM	ER		F	Cj						
	ltr	ecn	no.	dr	do	ote			0.X ±0.3			1	COPY 🧳 www.fciconnect					onnect.com				
	Ν						linear		0.XX ±0.13			projec	tion		title METRAL SIGNAL HEADER					ורס		
					.XXX ±.051		$\triangle 1$		I MOD, 5 ROW STB													
							angles		0° ±2°			9	<u>ل</u>	\neg			1 110	<i>U</i> , 3	, non			
							dr	T.BRU	T.BRUNGARD II/I9/99			MM		produ	product family					code		
							engr	M.STF	M.STRAWSER II/19/99		-				ize dwg no					213		
							chr	M.STF	AWSER	1171	9/99	scale							7 / 7 / 1			
							appd	M.STF	AWSER	02/2	29/00] :		A /			14141			5	
	she	et	revis	ion																		В
	ind	ex	sheet																			
					Pi	ro/E							3			caç	je code	2	252	26	4	_
									PC)M:	Re	v:N		ST	ATUS	Re	lea	sec		Printe	ed: Dec 0	1, 2009

А

4